

Your copy of the Annual Report should be enclosed with this newsletter, and is also available to download at www.npeu.ox.ac.uk/ukoss/annual-reports. If you would like any extra printed copies, please let us know.

### Case report summary for current studies to 15/06/09

Disorder	Actual number of reported cases	Data collection forms returned (%)	Number of confirmed cases	Expected number of confirmed cases
Amniotic fluid embolism	94	86 (91)	58	51
Antenatal stroke	51	38 (75)	19	108
Congenital diaphragmatic hernia	27	6 (22)	6	17
Failed intubation	52	37 (71)	32	78
Malaria	4	1 (25)	1	24
Multiple repeat CS	42	21 (50)	20	100
Myocardial infarction	47	43 (91)	22	75
Non-renal solid organ transplant recipients	38	32 (84)	28	46
Pulmonary vascular disease	57	51 (89)	23	27
Renal transplant recipients	108	89 (82)	82	168
Therapies for peripartum haemorrhage	513	403 (79)	275	779
Uterine rupture	18	5 (28)	5	17

#### Thanks to the following hospitals who have returned cards for the last three months:

Aberdeen Maternity Hospital, Aberdeen Airedale General Hospital, Keighley Antrim Hospital, Antrim Arrowe Park Hospital, Wirral Ayrshire Maternity Unit, Kilmarnock Barnsley District General Hospital, Barnsley Basildon Hospital, Basildon Bassetlaw District General Hospital, Worksop Birmingham City Hospital, Birmingham Birmingham Heartlands Hospital, Birmingham Birmingham Women's Hospital, Birmingham Borders General Hospital, Melrose Bradford Roval Infirmary, Bradford Bronglais Hospital, Aberystwyth Burnley General Hospital, Burnley Caithness General Hospital, Wick Calderdale Royal Hospital, Halifax Causeway Hospital, Coleraine Chelsea & Westminster Hospital, London Cheltenham General Hospital, Cheltenham Chesterfield & North Derbyshire Royal Hospital, Chesterfield Colchester General Hospital, Colchester Conquest Hospital, St Leonards-on-Sea Craigavon Area Hospital, Portadown Cumberland Infirmary, Carlisle Darent Valley Hospital, Dartford Darlington Memorial Hospital, Darlington Derby Hospitals NHS Foundation Trust, Derby Derriford Hospital, Plymouth Dewsbury and District Hospital, Dewsbury Diana Princess of Wales Hospital, Grimsby Dorset County Hospital, Dorchester Dr Gray's Hospital, Elgin Dumfries & Galloway Royal Infirmary, Dumfries Ealing Hospital, London Eastbourne District General Hospital, Eastbourne Epsom General Hospital, Epsom Forth Park Hospital, Kirkcaldy Friarage Hospital, Northallerton Fumess General Hospital, Barrow-in-Fumess George Eliot Hospital, Nuneaton Glan Clwyd District General Hospital, Rhyl Gloucestershire Royal Hospital, Gloucester Good Hope Hospital, Sutton Coldfield Guy's and St Thomas' Hospital, London Harrogate District Hospital, Harrogate Hereford County Hospital, Hereford Hinchingbrooke Hospital, Huntingdon Hope Hospital, Manchester Hospital of St John and St Elizabeth, London Hull Royal Infirmary, Hull Ipswich Hospital, Ipswich James Cook University Hospital, Middlesbrough James Paget Hospital, Great Yarmouth John Radcliffe Hospital, Oxford Kettering General Hospital, Kettering King George Hospital, Ilford King's College Hospital, London King's Mill Hospital, Sutton in Ashfield Kingston Hospital, Kingston upon Thames Lagan Valley Hospital, Lisburn Leeds General Infirmary, Leeds Leicester Royal Infirmary, Leicester Leighton Hospital, Crewe Lincoln County Hospital, Lincoln Macclesfield District General Hospital, Macclesfield Maidstone General Hospital, Maidstone Manor Hospital, Walsall Mater Infirmorum Hospital, Belfast Mayday University Hospital, Thornton Heath Milton Keynes General Hospital, Milton Keynes Nevill Hall Hospital, Abergavenny New Cross Hospital, Wolverhampton Ninewells Hospital & Medical School, Dundee Nobles Hospital, Douglas North Devon District Hospital, Barnstaple North Hampshire Hospital, Basingstoke

North Manchester General Hospital, Manchester North Middlesex Hospital, London Northampton General Hospital, Northampton Northwick Park Hospital, Harrow Nottingham City Hospital, Nottingham Nottingham University Hospitals NHS Trust, Nottingham Pilgrim Hospital, Boston Pontefract General Infirmary, Pontefract Poole Hospital, Poole Prince Charles Hospital, Methyr Tydfil Princess Alexandra Hospital, Harlow Princess Anne Hospital, Southampton Princess Elizabeth Hospital, St Martins Princess of Wales Hospital, Bridgend Princess Royal Maternity Hospital, Glasgow Princess Royal University Hospital, Orpington Queen Elizabeth Hospital, Kings Lynn Queen Mother's Hospital, Glasgow Queen's Hospital, Burton upon Trent Queen's Hospital, Romford Raigmore Hospital, Inverness Rochdale Infirmary, Rochdale Royal Albert Edward Infirmary, Wigan Royal Alexandra Hospital, Paisley Royal Berkshire Hospital, Reading Royal Blackburn Hospital, Blackburn Royal Bolton Hospital, Bolton Royal Cornwall Hospital, Truro Royal Devon & Exeter Hospital, Exeter Royal Free Hospital, London Royal Glamorgan Hospital, Llantristant Royal Hampshire County Hospital, Winchester Royal Lancaster Infirmary, Lancaster Royal Shrewsbury Hospital, Shrewsbury Royal Surrey County Hospital, Guildford Royal Victoria Infirmary, Newcastle-upon-Tyne Russells Hall Hospital, Dudley Sandwell District General Hospital, West Bromwich Scarborough Hospital, Scarborough Sharoe Green Unit, Preston Simpson Centre for Reproductive Health, Edinburgh Singleton Hospital, Swansea Solihull Hospital, Solihull South Tyneside District Hospital, South Shields Southend Hospital, Westcliff-on-Sea Southern General Hospital, Glasgow Southmead Hospital, Bristol Southport & Ormskirk Hospital NHS Trust, Ormskirk St Helier Hospital, Carshalton St John's Hospital, Chelmsford St John's Unit at Howden, Livingston St Mary's Hospital, London St Mary's Hospital, Newport St Mary's Hospital, Portsmouth St Michael's Hospital, Bristol St Peter's Hospital, Chertsey St Richard's Hospital, Chichester Stepping Hill Hospital, Stockport Stirling Royal Infirmary, Stirling Stoke Mandeville Hospital, Aylesbury Tameside General Hospital, Ashton-under-Lyne Taunton and Somerset Hospital, Taunton The Great Western Hospital, Swindon The Jessop Wing, Sheffield Trafford General Hospital, Manchester Ulster Hospital, Belfast University Hospital Lewisham, London University Hospital of Coventry & Warwickshire, Coventry University Hospital of North Durham, Durham University Hospital of North Tees, Stockton-on-Tees University Hospital of Wales, Cardiff Victoria Hospital, Blackpool Wansbeck General Hospital, Ashington

Warwick Hospital, Warwick Watford General Hospital, Watford West Cumberland Hospital, Whitehaven West Middlesex University Hospital, Isleworth West Suffolk Hospital, Bury St Edmunds West Wales General Hospital, Carmarthen Western Isles Hospital, Stornaway Whipps Cross University Trust Hospital, London Whiston Hospital, Prescot Withybush Hospital, Haverfordwest Worcestershire Royal Hospital, Worcester Wrexham Maelor Hospital, Wrexham Wycombe General Hospital, High Wycombe Yeovil Women's Hospital, Yeovil York Hospital, York Ysbyty Gwynedd District General Hospital, Bangor Alexandra Hospital, Redditch Altnagalvin Area Hospital, Londonderry Barnet and Chase Farm Hospitals NHS Trust, Enfield Bedford Hospital, Bedford Countess of Chester Hospital, Chester Daisy Hill Hospital, Newry East Surrey Hospital, Redhill Erne Hospital, Enniskillen Fairfield General Hospital, Bury Frimley Park Hospital, Camberley Homerton Hospital, London Jersey General Hospital, St Helier Lister Hospital, Stevenage Luton & Dunstable Hospital, Luton Medway Maritime Hospital, Gillingham Norfolk & Norwich University Hospital, Norwich Pembury Hospital, Tunbridge Wells Peterborough Maternity Unit, Peterborough Princess Royal Hospital, Haywards Heath Queen Charlotte's and Chelsea Hospital, London Queen Elizabeth the Queen Mother Hospital, Margate Queen Mary's Hospital, Sidcup Rosie Maternity Hospital, Cambridge Rotherham District General Hospital, Rotherham Royal Gwent Hospital, Newport Royal Jubilee Maternity Service, Belfast Royal United Hospital, Bath Salisbury District Hospital, Salisbury Scunthorpe General Hospital, Scunthorpe St George's Hospital, London St James's University Hospital, Leeds St Mary's Hospital, Manchester Staffordshire General Hospital, Stafford The Portland Hospital, London Torbay Hospital, Torquay University College Hospital, London University Hospital of North Staffordshire, Stoke on Trent Warrington Hospital, Warrington Wexham Park Hospital, Slough Whittington Hospital, London Wishaw General Hospital, Wishaw Worthing Hospital, Worthing Wythenshawe Hospital, Manchester Barnet General Hospital, Barnet City Hospitals Sunderland NHS Trust. Sunderland Doncaster Royal Infirmary, Doncaster Hillingdon Hospital, Uxbridge Horton Hospital, Banbury Leicester General Hospital, Leicester Liverpool Women's Hospital, Liverpool Newham General Hospital, London Queen Elizabeth Hospital, Gateshead Queen Elizabeth Hospital, London Queen Elizabeth II Hospital, Welwyn Garden City Royal Oldham Hospital, Oldham

Royal Sussex County Hospital, Brighton

Returned all three cards. Returned two cards. Returned one card.

# Identifying comparison women for uterine rupture study

# Why do we need information about comparison women for this study?

One of the topics we want to investigate through this study concerns the risks associated with different pregnancy management methods in women who have had a previous delivery by caesarean section. In order to do this, we need to compare the pregnancy management in women who have a uterine rupture with women who have had a previous caesarean but who did **not** have a uterine rupture.

We therefore need to collect information about a group of women who have previously been delivered by caesarean. We can't do this using the usual UKOSS method of identifying comparison women, when we ask you to collect information about the woman delivering before the case, because this woman will not necessarily have had a prior caesarean delivery.

# How will we identify comparison women?

We have tried to think of a way to make it easy for you to find an appropriate comparison woman who has had a previous caesarean delivery. We have made a random list of dates, times and hospitals of birth to use as a selection guide. We will write to most of you, specifying this time and date, and ask you to identify the woman delivering in your hospital closest to this time (either before or after) who has previously had a caesarean section. We will write to you ahead of the selected date, so that you can alert the team on delivery suite to keep aside the notes of the appropriate woman to enable you to complete the data collection form. Because we have selected the dates, times and hospitals of delivery randomly, you will not all be asked to identify a comparison woman, so don't be worried if you don't get sent any forms.

### What about cases of uterine rupture?

Please continue to report women who have had a uterine rupture in the usual way on your UKOSS card, and complete the forms when you receive them. However, please note that, unlike for other UKOSS studies, you may get asked to complete a form for a comparison woman *even when you have not reported a case*. This is because we have chosen the hospitals providing comparison information randomly.

## **Confused?**

If you have any questions or concerns about the process of providing information on comparison women, please do not hesitate to contact either Marian or Carole on 01865 289714 or ukoss@npeu.ox.ac.uk.





Chocolates this month for Neil Maclean from Elgin, Lyn Garrett from Kettering and Siau Tan from Carmarthen for complete and very prompt card and form return since UKOSS started; also for Carolyn Romer from Carshalton for super sleuthing and very prompt return of forms for cases. 5\* special awards from Carolel

#### B-Lynch, ligation, embolisation and factor VII use

We are now finalising the data for the Therapies for PPH study, so we can get the results to you as quickly as possible. If any of you have any outstanding forms, please can you send them back to us as soon as possible – or if you know of any cases you haven't reported, let us know and we'll send you a form. Thank you!

#### Marian Knight: **01865 289727** Carole Harris: **01865 289714**

#### email: UKOSS@npeu.ox.ac.uk web: www.npeu.ox.ac.uk/UKOSS

This is an independent report from a study which is part-funded by the Policy Research Programme in the Department of Health. The views expressed are not necessarily those of the Department. Studies are additionally funded by Wellbeing of Women, the Obstetric Anaesthetists Association and the Edgar Research Fellowship Fund of the Royal College of Obstetricians and Gynaecologists.